


TYLO CT 305 FLOORING TILE ADHESIVE

Tylo ct 305 Flooring Tile Adhesive is a polymer modified, cement-based, high quality tile adhesive developed to fix ceramic tiles for both floor & wall tile fixing applications.

AREAS OF APPLICATION

Tylo ct 305 Flooring Tile Adhesive can be used for internal, thin bed floor & wall applications. It is recommended to be used over cementitious substrates only.



FEATURES & BENEFITS

- Autogenous healing
- Indoor usage
- Monocomponent
- Improves resilience
- Duration for tile placement
- Prolonged availability for increased tile placement duration

BAG COVERAGE

Tylo ct 7.43 sq.m

305

@3 mm (As per lab conditions)





VITRO VT 307 WALL TILE ADHESIVE

Vitro vt 307 Wall Tile Adhesive is a polymer modified, cement-based, high quality tile adhesive recommended for fixing small format vitrified tiles for wall tile fixing applications

AREAS OF APPLICATION

Vitro vt 307 Wall Tile Adhesive can be used for internal thin bed wall and floor applications. It is recommended to be used over cementitious substrates and for tile-on-tile applications.



FEATURES & BENEFITS

- Autogenous healing
- Indoor usage
- Monocomponent
- Improves resilience
- Duration for tile placement
 Prolonged availability for
- Prolonged availability for increased

BAG COVERAGE

Vitro vt 307 7.43 sq.m

@3 mm (As per lab conditions)





GRANO NT 315 CLADDING TILE ADHESIVE

Grano nt 315 Cladding tiles adhesive is a cement-based, high quality tile adhesive recommended for fixing small to medium format vitrified tiles, glass mosaic tiles and natural stones for both wall and floor tile fixing applications.

AREAS OF APPLICATION

Grano nt 315 Cladding tiles adhesive can be used for both internal & external, thin bed wall & floor applications. It is recommended to be used over cementitious substrates and can also be used for tile-on-tile applications. It is recommended to be used with Seal & Dry SBR for challenging applications.



FEATURES & BENEFITS

- Autogenous hardening
- Indoor and outdoor usage
- · Monocomponent; user-friendly
- · Prolonged setting time for increased tile placement duration
- · Compatible with Seal & Dry SBR for outdoor & demanding uses
- Boosts resilience
- Excellent traction

Grano nt 3.72 sq.m

315 @ 6 mm (As per lab conditions)





MARBO MT 320 WHITE MARBLE TILE ADHESIVE

Marbo mt 320 White Marble Tile Adhesive is a white cement-based, high quality tite adhesive to fix small to medium format glass mosaic tiles, Italian marble, porcelain and all translucent tiles for tile fixing applications.

AREAS OF APPLICATION

Marbo mt 320 White Marble Tile Adhesive can be used for both internal & external, thin bed wall & floor applications. It is recommended to be used over cementitious substrates and can also be used for tite-on-tile applications. It is recommended to be used with Seal & Dry SBR for challenging applications.



FEATURES & BENEFITS

- Autogenous healing
- Suitable for both indoor & outdoor use
- Monocomponent; user-friendly
 Offers exceptional white
- foundation

- Improves resilience
- Prolonged availability for increased tile installation time
- Compatible with Seal & Dry SBR for outdoor & demanding uses Excellent grip





BAG COVERAGE

Marbo mt 3.72 sq.m

Marbo mt 3.72 sq.r 320 @6 mm

@6 mm (As per lab conditions)

FAST FIX 300 AAC BLOCK MORTOR

Fast fix 300 AAC Block Jointing Mortar is a versatile thin jointing mortar for thin bed applications. It is specially designed to provide stronger and durable bonding between the blocks with optimum adhesive strength.

AREAS OF APPLICATION

Fast fix 300 AAC Block Jointing Mortar is recommended to be used for masonry wall preparation for joining all types of Autoclaved Aerated Concrete Blocks and fly ash bricks



FEATURES & BENEFITS

- Strong bonding at seams
- Slim mortar seams
- Cost-effective
- Self-hardening
- Superior adhesion
- Increased area coverage Expedited project finishing
- owing to easy application



COVERAGE PER/KG

Fast fix 300

0.3-0.5 sq.m /kg

for 100 mm thick block (As per lab conditions)



SKUS 40kg

FAST FIX 275 READY MIX PLASTER

Fast fix 275 Ready Mix Plaster is a protective plastering mortar for masonry walls made out of concrete blocks. AAC blocks, fly ash bricks, play bricks and over RCC surfaces. It provides strong surface suitable for all types of final finishing applications.

AREAS OF APPLICATION

Fast fix 275 Ready Mix Plaster can be used for plastering on inner and outer walls. It can also be used effectively on bricks, blocks, stone walls as well as concrete surfaces. Ideal for well-prepared walls with maximum thickness of plastering up to 15mm in single coat.



FEATURES & BENEFITS

- Minimizes moisture penetration
- Properly proportioned sand & additives
- · Guarantees uniformity in quality
- Minimal material bounce-back
- Easy application

- Requires reduced curing time compared to conventional plaster
- Improves longevity
- Even sleek surfaces for walls
- Minimal material waste
- Reduced water consumption





SKUS- 40

COVERAGE /40KG

OTENNOE / TON

Fast fix 1.7-2.0 sq.m 275 @ 12 mm (A)

@ 12 mm (As per lab conditions)

FAST FIX TILES SPACER

Fast fix Tile spacer It ensures the correct distance for tile installation, providing uniform gaps for a better and flawless finish. It helps to prevent uneven tiles and potential future issues, ensuring a long-lasting and durable installation.

AREAS OF APPLICATION

Fast fix Tile spacer It ensures the correct distance for tile installation, providing uniform gaps for a better and flawless finish. It helps to prevent uneven tiles and potential future issues, ensuring a long-lasting and durable installation.



- Uniform Spacing
- Maintain Equal Distances
- Prevents Tile Shifting





FAST FIX TILE GROUT

Fast fix Tile Grout is a cementitious tile joint filler. It fills spaces between tiles, providing stability and aesthetic appeal.

AREAS OF APPLICATION

Fast fix Tile Grout is a cementitious tile joint filler. It fills spaces between tiles, providing stability and aesthetic appeal.



- · Non-shrink and prevent cracks.
- Easy to use and apply
- Consistent color quality.





FAST FIX EPOXY GROUT

Fast fix Epoxy Grout is a three-component, high-performance grouting system. It is stain-free, crack-free, chemical-resistant, and waterproof. Ideal for filling tile joints in various applications.

AREAS OF APPLICATION

Fast fix Epoxy Grout is a three-component, high-performance grouting system. It is stain-free, crack-free, chemical-resistant, and waterproof. Ideal for filling tile joints in various applications.



- Highly resilient and durable.
- Non-absorbent (waterproof).
- Resistant to stains and cracking.
- Withstands high humidity and
- extreme temperatures.





FAST FIX TILE CLEANER

Fast fix Tile Cleaner is a specialized cleaner designed for tiles and grout. It effectively removes dirt, stains, and grime from tiled surfaces.

AREAS OF APPLICATION

Fast fix Tile Cleaner is a specialized cleaner designed for tiles and grout. It effectively removes dirt, stains, and grime from tiled surfaces.



- · Efficiently cleans tiles and grout.
- Helps maintain the appearance of tiled areas.
- · Suitable for various tile types.









www.fastfixbond.com

